

ICD-9 CM to ICD-10 Common Codes for Conditions Associated with Low vitamin D

The Endocrine Society has released guidelines¹ for certain at-risk populations for vitamin D deficiency:

ICD-9 Code	Diagnoses	ICD-10 Code
Bone Disease		
268.0	Rickets, Active	E55.0
268.1	Rickets, Late Effect	E64.3
268.2	Osteomalacia, adult	M83.9
733.00	Osteoporosis Nos	
733.01	Senile Osteoporosis	M81.0
733.02	Idiopathic Osteoporosis	M81.8
733.03	Disuse Osteoporosis	M81.8
733.09	Osteoporosis Nec	M81.8
V178.1	Family History Osteoporosis	Z82.62
V828.1	Screen – Osteoporosis	Z13.820
Malabsorption Syndromes		
Crohn's Disease		
555.0	Small Intestine Ileitis: Regional Segmental Reg Enteritis, Sm Intest	K50.00
555.1	Reg Enteritis, Lg Intest	K50.10
555.2	Reg Enterit Sm/Lg Intest	K50.80
555.9	Regional Enteritis Nos	K50.90
Cystic Fibrosis		
277.01	Cystic Fibrosis w Ileus	E84.11
277.02	Cystic Fibrosis w/ Pulm Man	E84.0
277.03	Cystic Fibroris w/ GI Man	E84.19
277.09	Cystic Fibrosis Nec	E84.9
558.1	Radiation Gastroenteritis and Colitis	K52.0
564.1	Inflammatory Bowel Disease	K58.9
V776	Screen-Cystic Fibrosis	Z13.228
V838.1	Cystic Fibrosis Gene Car	Z14.1
Other Diseases		
503.0	Berylliosis	J63.2
Chronic Kidney Disease		
585.1	Chronic Kidney Disease I	N18.1
585.2	Chronic Kidney Disease II	N18.2

ICD-9 Code	Diagnoses	ICD-10 Code
585.3	Chronic Kidney Disease III	N18.3
585.4	Chronic Kidney Disease IV	N18.4
585.5	Chronic Kidney Disease V	N18.5
585.9	Chronic Kidney Disease Nos	N18.9
Coccidioidomycosis		
114.0	Primary Coccidioidomycosis	
114.1	Prim Extrapulm Coccidioidomyc	
114.2	Coccidioidal Meningitis	B38.4
114.3	Progress Coccidioid Nec	B38.89
114.4	CH PL Coccidioidomycosis	B38.1
114.9	Coccidioidomycosis Nos	B38.9
116.1	Paracoccidioidomycosis	B41.9
386.30	Labyrinthitis, Unspecified	H83.09
570	Hepatic Failure	K72.90
Histoplasmosis		
115.90	Histoplasmosis Nos	B39.9
115.90	Histoplasmosis, Unspec1	B39.9
115.91	Histoplasmosis Meningitis Unspecified	G02, B39.9
115.92	Histoplasmosis Retinitis, Nos	H32, B39.9
115.93	Histoplasmosis Pericard, Nos	I32, B39.9
115.94	Histoplasmosis Endocard	I39, B39.9
115.95	Histoplasmosis Pneumonia, Nos	J17, B39.9
115.99	Histoplasmosis Nec	B39.9
Lymphomas, Some		
011.00	Respiratory Tuberculosis	A15.9
135	Sarcoidosis	D86.9

Other risks for vitamin D Deficiency

Demographics

- African-American and Hispanic children and adults
- Pregnant and lactating women
- Older adults with a history of nontraumatic fractures

Body Mass Index

- Obese children and adults (BMI >30 kg/m²)

¹Holick MF, et al. Evaluation, Treatment, and Prevention of Vitamin D Deficiency: An Endocrine Society Clinical Practice Guideline. *J Clin Endocrinol Metab* 2011; 96(7): 1911-1930.

* The CPT codes provided are based on AMA guidelines and are for informational purposes only. CPT coding is the sole responsibility of the billing party. Please direct any questions regarding coding to the payer being billed.

This list is intended to assist ordering physicians in providing ICD-10 Diagnosis Codes as required by Medicare and other Insurers. It includes the most commonly found out-patient diagnoses (generally without complications), but is not complete.

This list was compiled from the ICD-10-CM 2015, as well as the Medicare Regulations and Manuals issued or authorized by the Centers for Medicaid and Medicare Services. An ICD-10-CM book should be used as a complete reference. The ultimate responsibility for correct coding belongs to the ordering physician.